

TURBOSOUND MODULAR SYSTEM: colour black


TMS-System Consists of 1 TMS-HI & 1 TMS-LOW
 TMS-High 10"+1" Polyhorn
 TMS-Low 18" Turbobass

1,400.00 €
 800.00 €
 800.00 €

MILAN series: colour dark blue


Mio Self-powered 2-way 10" LF, 1" HF, jack/XLR, IEC mains
 AUG 2011
 PRELIM
 Max SPL 128dB Peak, 45Hz-22kHz ±10dB, 90°Hx60°V

620.00 €



MI5 Digitally self-powered 2-way 15" LF, 1" HF, jack/XLR, IEC mains
 Max SPL 131dB Peak, 23Hz-22kHz ±10dB, 90°Hx60°V
 720mmH x 470mmW x 400mmD, 22kg

948.00 €



MI8 Self-powered bandpass subwoofer, 1 x 18"
 Max SPL 130dB peak, 35Hz - 125Hz ±10dB
 XLR, 836mmH x 7469mmW x 440mmD, 40kg

1,303.00 €

COMPACT series: colour black or white, custom colour POA, optional IP54


TCX-8 Two-way passive wide dispersion, 1 x 8" LF, 1 x 1" HF on CEW
 Max SPL 123dB peak, 70Hz - 20kHz ±10dB, 90°h x 60°v, 400w prgm
 2 x NL4 and barrier strip, 408mmH x 312mmW x 280mmD, 9.5kg
 TCX-8W Weather resistant to IP54

440.00 €

800.00 €



TCX-10 Two-way passive wide dispersion, 1 x 10" LF, 1 x 1" HF on CEW
 Max SPL 125dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v, 500w prgm
 2 x NL4 and barrier strip, 488mmH x 370mmW x 332mmD, 13.5kg
 TCX-10W Weather resistant to IP54

590.00 €

890.00 €



TCX-12 Two-way passive wide dispersion, 1 x 12" LF, 1 x 1" HF on CEW
 Max SPL 128dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v, 600w prgm
 2 x NL4 and barrier strip, 552mmH x 410mmW x 368mmD, 19.5kg
 TCX-12W Weather resistant to IP54

675.00 €

950.00 €



TCX-15 Two-way passive wide dispersion, 1 x 15" LF, 1 x 1" HF on CEW
 Max SPL 131dB peak, 55Hz - 20kHz ±10dB, 90°h x 60°v, 800w prgm
 2 x NL4 and barrier strip, 652mmH x 470mmW x 422mmD, 24.5kg
 TCX-15W Weather resistant to IP54

800.00 €

1,100.00 €



TCX-15B Bandpass 1 x 15" bass enclosure
 Max SPL 131dB peak, 35Hz - 125Hz ±10dB, 2000w prgm
 2 x NL4 and barrier strip, 600mmH x 500mmW x 600mmD, 35.5kg
 TCX-15BW Weather resistant to IP54

890.00 €

1,300.00 €



TCX-18B Bandpass 1 x 18" bass enclosure
 Max SPL 130dB peak, 35Hz - 125Hz ±10dB, 2000w prgm
 2 x NL4 and barrier strip, 838mmH x 469mmW x 440mmD, 35.5kg
 TCX-18BW Weather resistant to IP54

1,125.00 €

1,580.00 €

COMPACT series: rigging hardware

TCX-SB8	Swivel bracket for TCX-8	135.00 €
TCX-SB10	Swivel bracket for TCX-10	140.00 €
TCX-SB12	Swivel bracket for TCX-12	150.00 €
TCX-SB15	Swivel bracket for TCX-15	170.00 €

STAGE MONITORING: colour black

TXD-12M	Passive 2-way 12" LF, 1" HF, NL4 600W pgm, Max SPL 128dB Peak, 65Hz-20kHz, 40°Hx70°V 435mmH x 553mmW x 288mmD, 18kg	561.00 €
---------	---	----------

Brackets and hardware

WB-20	Wall Bracket for TCX-8, TCX-10, TCX-12	78.00 €
WB-55	Wall Bracket for TCX-15	92.00 €
<hr/>		
CB-55	Ceiling Bracket for TCX-8, TCX-10, TCX-12, TCX-15	98.00 €
<hr/>		
PB-55	Wall Bracket for pole holder mounting suitable for: TCX-8, TCX-10, TCX-12, TCX-15	95.00 €
<hr/>		
EB-10/18	M10x18mm Eyebolt	17.00 €
<hr/>		
EB-10/40	M10x40mm Eyebolt	27.00 €
<hr/>		
PA-60	60cm Speaker Pole	33.00 €
PA-90	90cm Speaker Pole	36.00 €
PA-100	100cm Speaker Pole	37.00 €
PA-120	120cm Speaker Pole	39.00 €

FLASHLINE: colour black



TFS-900H Fully hornloaded, True 4 way hi SPL, Quadamped (by TFS rack only) line array 12,000.00 €
SHIPS AUG 11 2 x 12", 4 x 6.5", 2 x 6.5", 3 x 1". 1240mm x 360mm x 570mm
PRELIM INFO Dendritic & Polyhorn loaded
 1240mm x 360mm x 570mm



TFS-900L 2 x 18" horn loaded ultra sub for use with Flashline 7,200.00 €
SHIPS AUG 11 1200mm x 1100mm x 600mm
PRELIM INFO

TFS-RACK 60000w amp rack for Flashline 48,000.00 €
SHIPS AUGUST 21 Fitted with 3 x 20000DP (Lab Gruppen PLM 20000) and 3 pahse distro
PRELIM INFO Powers up to 9 TFS-900H or 18 TFS-900L

TFS-GRID Flying grid for Flashline 6,000.00 €
TFS-TIP Motor bar to connect to flying grid 2,400.00 €
TFS-DOLLY Dolly for 4 x TFS-928 2,400.00 €
TFS-COVER Cover for above 1,500.00 €

FLEX ARRAY series: colour black



TFA-600H Three-way bi-amped/tri-amped, 2 x 10" LMF, 1 x 6.5" HMF, 4,400.00 €
 LMF: 1200W program, HMF: 240W program, HF: 120W program

	Max SPL (peak)	Dispersion	Freq.Response ±10dB	Dimensions (HxWxD) mm	Weight
TFA-600H	136dB	75°H x 16°V	80Hz-18kHz	710 x 304 x 560	42.5kg
TFA-600HW	135dB	100°H x 16°V	80Hz-20kHz	710 x 304 x 560	42.5kg



TFA-600H Self-powered 3-way bi-amped, 2 x 10" LF, 6.5" MF, 50mm HF 6,400.00 €

	Max SPL (peak)	Dispersion	Freq.Response ±10dB	Dimensions (HxWxD) mm	Weight
TFA-600H	136dB	75°H x 16°V	80Hz-20kHz	710 x 304 x 560	44kg
TFA-600HW	135dB	100°H x 16°V	80Hz-20kHz	710 x 304 x 560	44kg



TFA-600L Horn-loaded 1 x 18" bass enclosure 3,850.00 €
 1600W Pgm, Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD

Integrated Flyware, complete with heavy duty wheels

TFA-600LDP Self-powered horn-loaded 1x18" bass enclosure 5,800.00 €
 Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD

Integrated Flyware, complete with heavy duty wheels



TFA-600B Horn-loaded 1 x 18" bass enclosure, for ground stacking only 2,900.00 €
 1600W Pgm, Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD, 65kg

Complete with heavy duty wheels

TFA-600BDP Self-powered horn-loaded 1 x 18" bass enclosure 4,850.00 €
 Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD

Complete with heavy duty wheels

FLEX ARRAY series: flying hardware

FB-600	Flybar with screw adjustment	3,400.00 €
FK-600i	Install flying kit	225.00 €
GS-600	Ground Stack Plinth for Flex array	700.00 €
CF-600	Conversion frame	1,475.00 €
FT-600/3	Transport flightcase 3-up	1,900.00 €
TS-880/890	Tilt strap double ratchet	74.00 €
FY-600	Flying yoke	275.00 €
FYPH	Pole adapter	70.00 €
SCLAMP	Scaffold clamp	50.00 €

TSW series: colour black



TSW-218	Subwoofer, 2x18" neodymium, NL4 3200W Pgm, Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 110kg Complete with Heavy Duty Wheels	4,300.00 €
TSW-218DP	Self-powered TSW-218 Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 113kg Complete with Heavy Duty Wheels	6,150.00 €

ASPECT series: colour black



TA-890H	Tri-amped, 2x10" LMF, 1x10" HMF, 2x50mm HF 1000W pgm LMF, 400W pgm HMF, 200W pgm HF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V Integral Flyware, NL8, Wheelboard Included 795mmH x 477mmW x 574mmD, 76kg	8,800.00 €
---------	---	------------



TA-890L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz	5,600.00 €
---------	--	------------



TA-500t	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 57kg	5,200.00 €
---------	--	------------

TA-500tDP	Self-powered bi-amped TA-500t Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 59kg	6,700.00 €
-----------	---	------------



TA-500HM	Two-way downfill, bi-amp or passive, MF 1x10", HF 1x50mm 400W pgm MF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 574mmW x 498mmD, 37kg	3,079.00 €
----------	---	------------

ASPECT series: touring hardware

FB-890/1AL	Touring Flybar - 1 Wide A-System Single Pickup Point, left (sold in pairs with right)	925.00 €
FB-890/1AR	Touring Flybar - 1 Wide A-System Single Pickup Point, right (sold in pairs with left)	925.00 €
FB-890/2A	Touring Flybar - 2 Wide A-System Bridle Pickup Points	3,000.00 €
FB-890/3A	Touring Flybar - 3 Wide A-System Single Pickup Point	3,990.00 €
FB-890/3B	Touring Flybar - 3 Wide B-System Single Pickup Point	2,850.00 €
FB-890MB	Touring Flybar - Motherbeam to connect 2x FB-8902A/FB-8901A	5,700.00 €
FB-890MBE	Motherbeam Extender to connect FB-8901A to a half MB-890	5,000.00 €
FB-890UH	Flybar for TA-500HM downfill	2,000.00 €
CB-8001	3 leg chain bridle for MB-890 Motherbeam and FB-890/3A	725.00 €
CB-8002	2 leg chain bridle for FB-890/2A and FB-890/3B	370.00 €
CB-8003	2 leg chain bridle for FB-890/2B	300.00 €
FC-890A	A-System choked flying chain	300.00 €
FC-890B	B-System choked flying chain	300.00 €
FC-890BL	B-System inter-cabinet links	125.00 €
TS-880/890	Double Action Tilt Strap for TA-880/890 Array	75.00 €

FT-8902A	Flytrunk for 1 x FB-890/2A, 1x FB-890/1A, 1/2x MB890 Motherbeam	3,550.00 €
----------	---	------------

WB-890	Single Cabinet wheel board	400.00 €
WB-TA500HM	Wheelboard for TA-500HM Aspect Wide Cabinets	1,200.00 €
WB-890/4	3 or 4 tall wheel board	1,125.00 €

FB-500T/2W	Touring Flybar, 2-wide	1,850.00 €
FB-500T/3W	Touring Flybar, 2-wide	2,425.00 €
FC-500T L	Flying chain long	253.00 €
FC-500T ST	Flying chain standard	253.00 €
ICL-500	Inter-cabinet link	127.00 €
TS-890	Tilt strap	74.00 €
CB-8003	2-leg chain bridle	300.00 €

MONITORS: colour black



TFM-560	Bi-amped 2-way monitor, 2x12" neo LF, 1.4" neo HF, NL4 Designed exclusively for use with RACKDP-50 amplifiers 4 mixes with 3 amplifiers, up to 2 wedges per mix LF 1600W HF 150W pgm, Max SPL 135dB Peak, 53Hz-19kHz, 80°Hx50°V 397mmH x 700mmW x 561mmD, 31kg	3,600.00 €
---------	--	------------



TFM-420	Bi-amped 2-way monitor, neo 12" LF, neo 1.5" HF, NL4 LF 600W HF 200W pgm, Max SPL 136dB Peak, 90Hz-16kHz, 40°Hx60°V 329mmH x 614mmW x 384mmD, 25.2kg	3,350.00 €
---------	--	------------



TFM-450	Bi-amped 2-way monitor, Neo 15" LF, neo 1.5" HF, Speakon LF 800 W HF 200W pgm, Max SPL 136dB Peak, 60Hz-16kHz, 40°Hx60°V 401mmH x 711mmW x 475mmD, 32kg	3,650.00 €
---------	---	------------



TMW-115	Passive/Biamp switchable 2-way monitor, 1x15" with Coax 1.4" 1100W pgm, Max SPL 131dB Peak, -10dB 50Hz-18kHz, 80°Hx60°V	1,475.00 €
---------	--	------------

NuQ series: colour black

	NuQ-6	Passive 2-way 6.5" LF, 1" HF, NL4 350mmH x 190mmW x 210mmD	770.00 €
	NuQ-8	Passive 2-way 8" LF, 1" HF, NL4 Max SPL 124dB Peak, 60Hz-20kHz, 100°Hx60°V rotatable 464mmH x 272mmW x 220mmD, 9.5kg	1,000.00 €
	NuQ-8DP	Digitally Self-Powered 2-way 8" LF, 1" HF, XLR, Powercon Max SPL 124dB Peak, 60Hz-20kHz, 100°Hx60°V rotatable 464mmH x 272mmW x 252mmD, 13kg	2,200.00 €
	NuQ-10	Passive 2-way 10" LF, 1" HF, NL4 Max SPL 127dB Peak, 55Hz-20kHz, 100°Hx60°V rotatable 525mmH x 318mmW x 258mmD, 12kg	1,350.00 €
	NuQ-10DP	Digitally Self-Powered 2-way 10" LF, 1" HF, XLR, Powercon Max SPL 127dB Peak, 55Hz-20kHz, 100°Hx60°V rotatable 525mmH x 318mmW x 281mmD, 15.5kg	2,500.00 €
	NuQ-12	Passive/Active Switchable 2-way 12" LF, 1.4" HF, NL4 Max SPL 133dB Peak, 55Hz-20kHz, 80°Hx50°V rotatable 655mmH x 373mmW x 340mmD, 20kg	1,700.00 €
	NuQ-12DP	Digitally Self-Powered 2-way 12" LF, 1.4" HF, XLR, Powercon Max SPL 133dB Peak, 55Hz-20kHz, 80°Hx50°V rotatable 655mmH x 373mmW x 340mmD, 23kg	3,300.00 €
	NuQ-15	Passive/Active Switchable 2-way 15" LF, 1.4" HF, NL4 Max SPL 135dB Peak, 50Hz-20kHz, 80°Hx50°V rotatable 712mmH x 430mmW x 385mmD, 26kg	2,013.00 €
	NuQ-15DP	Digitally Self-Powered 2-way 15" LF, 1.4" HF, XLR, Powercon Max SPL 135dB Peak, 50Hz-20kHz, 80°Hx50°V rotatable 712mmH x 430mmW x 385mmD, 29kg	3,500.00 €
	B-12DP	Digitally Self-Powered 12" Subwoofer, 1x12", XLR, Powercon, NL4 Integrated 2 x 1250 watt amplifier drives subwoofer and NuQ satellites Max SPL 127dB Peak, 30Hz-125Hz 360mmH x 462mmW x 490mmD, 27kg	2,900.00 €
	B-15	15" Subwoofer, 1x15", NL4 464mmH x 574mmW x 620mmD, 36.5kg	1,480.00 €
	B-15DP	Digitally Self-Powered 15" Subwoofer, 1x15", XLR, Powercon Max SPL 132dB Peak, 45Hz-120Hz 464mmH x 574mmW x 620mmD, 39kg	3,000.00 €
	B-18	18" Bandpass Subwoofer, 1x18", NL4 768mmH x 574mmW x 700mmD, 65kg	2,150.00 €
	B-18DP	Digitally Self-Powered 18" Subwoofer, 1x18", XLR, Powercon Max SPL 136dB Peak, 40Hz-150Hz 768mmH x 574mmW x 700mmD, 67.5kg	3,700.00 €

NuQ series: hardware and accessories

NuQ-FY6	Flying yoke for NuQ-6	55.00 €
NuQ-FY8	Flying Yoke for NuQ-8 and NuQ-8DP	222.00 €
NuQ-FY10	Flying Yoke for NuQ-10 and NuQ-10DP	235.00 €
NuQ-FY12	Flying Yoke for NuQ-12 and NuQ-12DP	246.00 €
NuQ-FY15	Flying Yoke for NuQ-15 and NuQ-15DP	285.00 €
FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets	66.00 €
NuQ-TB	T-Bar to attach two FY-NuQ8 yokes on one pole or clamp	39.00 €
PA-60	60cm Speaker Pole	33.00 €
PA-90	90cm Speaker Pole	36.00 €
PA-100	100cm Speaker Pole	37.00 €
PA-120	120cm Speaker Pole	39.00 €
PA-20	Adjustable speaker pole for B-12DP with M20 thread	79.00 €
SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets	47.00 €
NuQ-SB6	Swivel / U-Bracket for NuQ-6	104.00 €
NuQ-SB8	Swivel / U-Bracket for NuQ-8 and NuQ-8DP	85.00 €
NuQ-SBE8	Extension Bracket for NuQ-8 and NuQ-8DP	39.00 €
NuQ-SB10	Swivel / U-Bracket for NuQ-10 and NuQ-10DP	85.00 €
NuQ-SBE10	Extension Bracket for NuQ-10 and NuQ-10DP	39.00 €
WB-20B	Wall Bracket for NuQ-8 and NuQ-10	78.00 €
WB-55B	Wall Bracket for NuQ-12 and NuQ-15	98.00 €
PB-55	Wall Bracket for pole holder mounting suitable for:	92.00 €
EB-10/40	M10x40mm Eyebolt (sold singly)	27.00 €
T4-Wheels	Optional wheel kit for B15/B18	79.00 €

Electronics

RACK-DP50	4 x 1250w @ 2Ω or 2 x 2250w @ 4Ω with 96kHz DSP and TurboDrive	3,198.00 €
DP50 Distro	4 mix distro for 3 x rack DP 50	1,400.00 €
T-25	2x1250W into 4 ohm switchmode power amplifier	2,550.00 €
T-475	4x750W into 4 or 8 ohm switchmode power amplifier	3,100.00 €
T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	3,500.00 €
T-90	Turbosound 2x4500W into 4 ohm switchmode power amplifier	4,530.00 €
LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	1,350.00 €
LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	1,700.00 €
BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	300.00 €
BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	180.00 €
BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	125.00 €

CEILING SPEAKERS: colour white (finish ready for painting)



TCS-C35T Passive 2-way 3.5" LF, HF Tweeter, Screw Terminal Phoenix
30W pgm, Max SPL 106dB Peak, 100Hz-20kHz, 180°Hx180°V
235mm diameter x 112mm deep
16ohms, 7.5W, 15W, 30W taps on rotary switch 104.00 €



TCS-C50T Passive 2-way 5" LF, HF Tweeter, Screw Terminal Phoenix
150W pgm, Max SPL 116dB Peak, 75Hz-22kHz, 180°Hx180°V
268mm Diameter x 219mm Deep inc. backbox, 3.4kg
16ohm, 15W, 30W, 60W taps on switch 140.00 €

IMPACT series: colour white or black priced individually



Impact 35 Passive 2-way 3.5" LF, HF Tweeter
80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V
242mmH x 145mmW x 148mmD, 2.2kg
Includes WB-5 Wall Bracket 100.00 €



Impact 35T Passive 2-way 3.5" LF, HF Tweeter, 70/100V line transformer
80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V
242mmH x 145mmW x 148mmD, 2.2kg
Includes WB-5 Wall Bracket 124.00 €



Impact 55T Passive 2-way 5" LF, HF Tweeter, 70/100V line transformer
160W pgm, Max SPL 115dB Peak, 64Hz-20kHz ±10dB, 100°Hx70°V
300mmH x 164mmW x 158mmD, 3.5kg
Includes WB-5 Wall Bracket 140.00 €



Impact 65T Passive 2-way 2 x 5" LF, HF Tweeter, 70/100V line transformer
240W pgm, Max SPL 117dB Peak, 43Hz-20kHz ±10dB, 100°Hx70°V
450mmH x 164mmW x 158mmD, 5kg
Includes WB-5 Wall Bracket 235.00 €

IMPACT Wall & Ceiling Brackets. Impact ships with WB-5 captive bracket free of charge

WB-5 Wall Bracket (with integral electrical connections) available black or white 47.00 €
WB-10 Wall Bracket 40.00 €

CB-10 Ceiling Bracket 95.00 €

Subs: colour black









TSB-110 Bandpass Subwoofer, 10" LF dual voice coil, push terminals
600W pgm, Max SPL 126dB Peak, 45Hz-180Hz
330mmH x 585mmW x 330mmD, 16.5kg 495.00 €



TSB-212 Bandpass Subwoofer, 2x 12", NL4
1600W Pgm, Max SPL 138dB Peak, 38Hz-200Hz
420mmHx1000mmWx470mmD, 47kg 1,360.00 €

COMPACT series: colour black or white, custom colour POA, optional IP54

	TCX-8	Two-way passive wide dispersion, 1 x 8" LF, 1 x 1" HF on CEW Max SPL 123dB peak, 70Hz - 20kHz ±10dB, 90°h x 60°v, 400w prgm	440.00 €
	TCX-8W	2 x NL4 and barrier strip, 408mmH x 312mmW x 280mmD, 9.5kg Weather resistant to IP54	800.00 €
	TCX-10	Two-way passive wide dispersion, 1 x 10" LF, 1 x 1" HF on CEW Max SPL 125dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v, 500w prgm	590.00 €
	TCX-10W	2 x NL4 and barrier strip, 488mmH x 370mmW x 332mmD, 13.5kg Weather resistant to IP54	890.00 €
	TCX-12	Two-way passive wide dispersion, 1 x 12" LF, 1 x 1" HF on CEW Max SPL 128dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v, 600w prgm	675.00 €
	TCX-12W	2 x NL4 and barrier strip, 552mmH x 410mmW x 368mmD, 19.5kg Weather resistant to IP54	950.00 €
	TCX-15	Two-way passive wide dispersion, 1 x 15" LF, 1 x 1" HF on CEW Max SPL 131dB peak, 55Hz - 20kHz ±10dB, 90°h x 60°v, 800w prgm	800.00 €
	TCX-15W	2 x NL4 and barrier strip, 652mmH x 470mmW x 422mmD, 24.5kg Weather resistant to IP54	1,100.00 €
	TCX-15B	Bandpass 1 x 15" bass enclosure Max SPL 131dB peak, 35Hz - 125Hz ±10dB, 2000w prgm	890.00 €
	TCX-15BW	2 x NL4 and barrier strip, 600mmH x 500mmW x 600mmD, 35.5kg Weather resistant to IP54	1,300.00 €
	TCX-18B	Bandpass 1 x 18" bass enclosure Max SPL 130dB peak, 35Hz - 125Hz ±10dB, 2000w prgm	1,125.00 €
	TCX-18BW	2 x NL4 and barrier strip, 838mmH x 469mmW x 440mmD, 35.5kg Weather resistant to IP54	1,580.00 €

COMPACT series: rigging hardware and brackets

	TCX-SB8	Swivel bracket for TCX-8	135.00 €
	TCX-SB10	Swivel bracket for TCX-10	140.00 €
	TCX-SB12	Swivel bracket for TCX-12	150.00 €
	TCX-SB15	Swivel bracket for TCX-15	170.00 €
	WB-20	Wall Bracket for TCX-8, TCX-10, TCX-12	80.00 €
	WB-55	Wall Bracket for TCX-15	95.00 €
	CB-55	Ceiling Bracket for TCX-8, TCX-10, TCX-12, TCX-15	100.00 €

CONTRACTING series: colour black or white, custom colour POA, optional IP54

	TCS-61	Passive 2-way 6.5" LF, 1" HF, NL4/terminal strip 350w pgm, max SPL 116dB peak, 50Hz-20kHz ±10dB, 100°h x 60°v 238mmH x 414mmW x 190mmD, 6kg, black or white	728.00 €
	TCS-61W	Weather resistant to IP54, black or white	POA
	TCS-122/xx	Switchable active/passive 2-way, 1 x 12" LF, 1 x 1.4" HF, NL4/terminal stri 1000W program, max SPL 128dB peak, 59Hz-20kHz ±10dB 90°H x 60°V, 60°H x 40°V or 90°H x 40°V, 803mmH x 403mmW x 416mmD, 30kg	1,480.00 €
	TCS-122/xxW	Weather resistant to IP54.	POA
	TCS-122/xxDP	Fitted with 450W Class D amplifier, 32.5kg "xx" specify waveguide - TCS-122/64 for 60 x 40	2,650.00 €
	TCS-152/xx	Switchable active/passive 2-way, 1 x 12" LF, 1 x 1.4" HF, NL4/terminal stri 1000W program, max SPL 128dB peak, 59Hz-20kHz ±10dB 90°H x 60°V, 60°H x 40°V or 90°H x 40°V, 803mmH x 403mmW x 416mmD, 36kg	1,700.00 €
	TCS-152/xxW	Weather resistant to IP54.	POA
	TCS-152/xxDP	Fitted with 450W Class D amplifier, 38kg "xx" specify waveguide - TCS-522/64 for 60 x 40	3,310.00 €
	TCS-1561/74	Switchable bi-amp/triamp 3-way, 1 x 15" LF, 1 x 6.5" MF, 1 x 1" HF driver 1000W program, max SPL 134dB peak, 40Hz-20kHz ±10dB 70°H x 40°V, 979mmH x 535mmW x 467mmD, 52kg	2,400.00 €
	TCS-1561/74W	Weather resistant to IP54	POA
	TCS-1561/74DP	Digitally self-powered 3-way, 1 x 15" LF, 1 x 6.5" MF, 1 x 1" HF 979mmH x 535mmW x 467mmD,	3,970.00 €
	TCS-1061/75	Three-way bi-amped/tri-amped, 2 x 10" LF, 1 x 6.5" MF, 1 x 50mm HF	3,500.00 €
	TCS-1061/100	LMF: 1200W program, HMF: 240W program, HF: 120W program Max SPL 136dB peak, 80Hz-20kHz ±10dB, 75°H x 16°V, 100°H x 16°V 2 x Speakon NL8, 710mmH x 304mmW x 400mmD	3,500.00 €
	TCS-1061/xx W	Weather resistant to IP54, black or white	POA
	TCS-B15A	Subwoofer to array with TCS-122, 1 x 15" LF, NL4/terminal strip 1000W program, max SPL 133dB peak, 30Hz-200Hz ±10dB 803mmH x 428mmW x 500mmD, 38kg	1,303.50 €
	TCS-B15AW	Weather resistant to IP54	POA
	TCS-B15ADP	Digitally self-powered sub to array with TCS-122, 15" LF, 40kg,	2,900.00 €
	TCS-B15B	Subwoofer to array with TCS-152, 1 x 15" LF, NL4/terminal strip 1000W program, max SPL 133dB peak, 30Hz-200Hz ±10dB 838mmH x 469mmW x 440mmD, 37kg	1,300.00 €
	TCS-B15BW	Weather resistant to IP54	POA
	TCS-B15BDP	Digitally self-powered sub to array with TCS-152, 15" LF, 39kg	2,900.00 €
	TCS-B218	Subwoofer, 2 x 18" LF, NL4/terminal strip 2400W program, max SPL 142dB peak, 20Hz-214Hz ±10dB 710mmH x 1130mmW x 730mmD, 104kg	2,600.00 €
	TCS-B218W	Weather resistant to IP54	POA
	TCS-B218DP	Digitally self-powered sub, 106kg	4,550.00 €

TCS Rigging hardware & Brackets

SB-61	Swivel bracket for TCS-61	91.00 €
ICC-61	Inter-cabinet couplers for TCS-61 and TCS-122	146.00 €
ICC-2V	Kit of two inter-cabinet couplers to fly TCS-122 or TCS-152 vertically	70.00 €
FP-1	Kit of two flyplates to fly TCS-122 or TCS-152	140.00 €
FP-2	Kit of two flyplates to fly TCS-B15A or TCS-B15B	146.00 €
ICC-2H	Kit of two inter-cabinet couplers to fly TCS-122 horizontally	70.00 €
ICC-3H	Kit of two inter-cabinet couplers to fly TCS-152 horizontally	70.00 €
ICC-4H	Kit of two inter-cabinet couplers to fly TCS-B15A or TCS-B15B	70.00 €
ICC-5H	Kit of two inter-cabinet couplers to fly TCS-152 with TCS-B15B	70.00 €
ICC-6H	Kit of two inter-cabinet couplers to fly TCS-122 with TCS-B15A	70.00 €
FK-1061	Flying kit for column of up to 5 x TCS-1061 cabinets Consists of 2 x single flybars plus 2 x pull-back links	900.00 €
FB-1061	Flying grid for column of up to 16 x TCS-1061 cabinets	1,825.00 €
WB-20	Wall Bracket for TCS-61	80.34 €
WB-55	Wall Bracket for TCS-122, TCS-152	94.76 €
CB-55	Ceiling Bracket for TCS-61, TCS-122, TCS-152	100.94 €

ASPECT WIDE series: colour black



TA-500	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Optional Flyware, 977mmH x 574mmW x 498mmD, 52kg	4,150.00 €
TA-500DP	Self-powered bi-amped TA-500 Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 54kg	5,750.00 €



TA-500H	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 983mmW x 498mmD, 52kg	4,150.00 €
TA-500HDP	Self-Powered TA-500H Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V 551mmH x 983mmW x 498mmD, 54kg, optional flyware	5,750.00 €



TA-500HM	Two-way downfill, bi-amp or passive, MF 1 x 10", HF 1 x 50mm 400W pgm MF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 574mmW x 498mmD, 37kg	2,950.00 €
----------	---	------------

ASPECT TA-500 series: install hardware

FK-500/1H	Hinge kit for one wide TA-500 array	1,800.00 €
FK-500/2T	Top row kit for 2-wide TA-500 arrays	560.00 €
FK-500/2H	Hinge kit for 2-wide TA-500 arrays	1,866.00 €
FK-500/3T	Top row kit for 3-wide TA-500 arrays	550.00 €
FK-500/3H	Hinge kit for 3-wide TA-500 arrays	1,865.00 €
EB-10/40	M10x40mm Eyebolt	28.00 €

ASPECT series: colour black



TA-880H	Tri-amped, LMF 2x10", HMF 1x10", HF 2x50mm 1000W pgm LMF, 400W pgm HMF, 200W pgm HMF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V NL8, Optional Flyware, Optional Wheelboard 1025mmH x 477mmW x 463mmD, 59kg	5,850.00 €
---------	---	------------



TA-880HM	Bi-amped, 1x10" 400W pgm HMF, 2x50mm 200W pgm HF Max SPL 146dB Peak, 405Hz-20kHz, 25°Hx15°V NL8, Optional Flyware 477mmH x 477mmW x 463mmD, 28kg	3,900.00 €
----------	---	------------



TA-880L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz NL4, Optional wheel kit 795mmH x 477mmW x 574mmD, 50kg	3,500.00 €
---------	---	------------

ASPECT series: trapezoidal hardware

FB-880/2W	2-Wide Trap flybar - 3-deep max	1,992.00 €
FB-880/3W	3-Wide Trap flybar - 3-deep max	2,658.00 €
CB-8002	2 leg chain bridle for FB-880/3W	300.00 €
CB-8003	2 leg chain bridle for FB-880/2W	300.00 €
FC-880	Choked flying chain	248.00 €
FC-880S	Short flying chain	167.00 €
SW-880H	Flying Sword for TA-880H	61.00 €
SW-880HM	Flying Sword for TA-880HM	58.00 €
SL-880	Linch pin for swords	21.00 €
SC-880	Spacer Collar for swords	28.00 €
TS-880/890	Double Action Tilt Strap for TA-880/890 Array	75.00 €
BSC-01	Biscuit to connect rear of cabinets in array	9.00 €

Electronics

RACK-DP50	4 x 1250w @ 2Ω or 2 x 2250w @ 4Ω with 96kHz DSP and TurboDrive	2,700.00 €
DP50 Distro	4 mix distro for 3 x rack DP 50	1,400.00 €
T-25	2x1250W into 4 ohm switchmode power amplifier	2,550.00 €
T-475	4x750W into 4 or 8 ohm switchmode power amplifier	3,100.00 €
T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	3,500.00 €
T-90	Turbosound 2x4500W into 4 ohm switchmode power amplifier	4,530.00 €
LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	1,350.00 €
LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	1,700.00 €
BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	300.00 €
BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	180.00 €
BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	125.00 €